

# Earthquake activity and Seismic hazard in Latin America


Nelson Pulido

National Research Institute for Earth Science and Disaster Prevention


## Contents

- Tectonic setting and great historical earthquakes in Latin America
- Active faults and recent seismic activity
- Seismic hazard and earthquake probability
- Recent damaging earthquakes
- Estimation of the fault model and strong ground motion for a great subduction earthquake to strike Central Andes, Lima Perú.
- Tsunami simulation at Lima


# Tectonic setting in Latin America



# Megathrust earthquakes in Latin America (1900~2014)



# Great earthquakes in South-America




## Contents

- Tectonic setting and great historical earthquakes in Latin America
- **Active faults and recent seismic activity**
- Seismic hazard and earthquake probability
- Recent damaging earthquakes
- Estimation of the fault model and strong ground motion for a great subduction earthquake to strike Central Andes, Lima Perú.
- Tsunami simulation at Lima

# Active faults of Northern and Central Andes


Velozá (2012)



# Quaternary faults of Central and South Andes

USGS, Macharé and Machette (2003) [Peru]

USGS, IRD, U. Chile (2000) [Chile]




### MAP EXPLANATION

- TIME OF MOST RECENT SURFACE RUPTURE**
  - Historic (year)
  - Holocene (<10,000 yrs) or post glacial (<15,000 yrs)
  - Quaternary, undifferentiated (<1,600,000 yrs)
- STRUCTURE TYPE**
- FAULTS**
  - Thrust or reverse fault (teeth on upper block)
  - Right-lateral (dextral) strike-slip fault
  - Left-lateral (sinistral) strike-slip fault
  - Normal fault (bar and ball on downthrown block)
- FOLDS**
  - Anticline
  - Syncline
- OTHER SYMBOLS**
  - Location of fault section boundary



# Shallow seismicity in Latin America (1976~2014)


- Earthquakes with **M<sub>w</sub>>5.0** (Global CMT catalogue)
- Depth < 30 km
- 2765 events  
(from a total of 5023 events)



## Contents


- Tectonic setting and great historical earthquakes in Latin America
- Active faults and recent seismic activity
- **Seismic hazard and earthquake probability**
- Recent damaging earthquakes
- Estimation of the fault model and strong ground motion for a great subduction earthquake to strike Central Andes, Lima Perú.
- Tsunami simulation at Lima

# Seismic Hazard in North and Central America



Schedlock (1999)

# Seismic Hazard in South America




Dimaté et al  
(1999)  
Schedlock et  
al. (1999)

# Historical intensities in South America

**Period:**  
1530 ~ 1981  
(450 years)

**Number of intensity  
data points (IDP):**  
16318


**Number of  
earthquakes:**  
3183



Giesecke et al.  
(2004)

# Probability of large earthquakes in Latin America

**Conditional Probability  
(1989 -1999)**




Nishenko (1991)

# Contents

- Tectonic setting and great historical earthquakes in Latin America
- Active faults and recent seismic activity
- Seismic hazard and earthquake probability
- **Recent damaging earthquakes**
- Estimation of the fault model and strong ground motion for a great subduction earthquake to strike Central Andes, Lima Perú.
- Tsunami simulation at Lima

## 1999 Quindio earthquake, Colombia (Mw6.1) Damage in Armenia city, Colombia



Reconnaissance team, Japanese Ministry of Education, Science Sport and Culture

# 2001 El Salvador earthquake (Mw 7.7)

## Large scale landslide in Santa Tecla city, El Salvador

- 193 people buried by the earthquake triggered landslide



Reconnaissance team by the Japanese Society of Civil Engineers (JSCE)

# 2007 Pisco earthquake, Perú (Mw 8.0)

Large damage to adobe houses in Pisco city



Damage to reinforced concrete building with insufficient seismic resistance in Pisco city


Reconnaissance team by the Japanese Society of Civil Engineers (JSCE)

# Field survey 2010 Maule Earthquake, Chile



Three reconnaissance teams dispatched by SATREPS

## Strong ground motions of the 2010 Maule earthquake





Pulido et al. (2011)

# Damage to 15~20 storied buildings in Concepción




Sekiguchi et al. (2010)



## Tsunami damage at Dichato, Concepción


- Measured runup height ~10m (Koshimura et al 2010)




# Contents

- Tectonic setting and great historical earthquakes in Latin America
- Active faults and recent seismic activity
- Seismic hazard and earthquake probability
- Recent damaging earthquakes
- Estimation of the fault model and strong ground motion for a great subduction earthquake to strike Central Andes, Lima Perú.
- Tsunami simulation at Lima

## Seismic coupling and mega-earthquakes




Source model of the 2010 (M8.8) Maule earthquake, Chile (Pulido et al. 2011), and seismic coupling (Moreno et al. 2010)




Source model of the 2011 (M9.0) Tohoku-oki earthquake, Japan (Suzuki et al. 2011), and seismic coupling (Loveless and Meade, 2012)


# Historical earthquakes in Peru



# Slip deficit rate for Peru and Northern Chile and scenario earthquake for Central Peru



- Slip deficit since 1746 (265 years)
- Maximum slip is 20 m
- Magnitude Mw~8.9, neglecting the 20 century earthquake sequence




(Pulido et al. 2011)


$S(x)$ : slip,  $t$ : elapsed time

# EARTHQUAKE SLIPS SCENARIOS FOR CENTRAL PERU

obtained from geodetic data, as well as information of recurrence of historical earthquakes (Pulido 2013)





[http://www.j-cisr.basri.go.jp/staff/haleon/emsimu\\_Central\\_Peru\\_v1n0/ima\\_SMsimu\\_v1n0.htm](http://www.j-cisr.basri.go.jp/staff/haleon/emsimu_Central_Peru_v1n0/ima_SMsimu_v1n0.htm)




Velocity models obtained from microtremors arrays in Lima and their 1D transfer functions (Calderón et al. 2012)




# Average S-wave velocity for the upper 10m and soil amplifications to engineering bedrock ( $V_s \sim 400\text{m}$ )



# Most critical scenario & Observed intensities during the 1746 earthquake (M ~ 9)




PGA for most critical slip, includes soil amplification



Maximum MMI intensity in Lima IX~X (Alva et al. 1984)  
PGA ~1g, PGV ~90 cm/s

## Simulated Pseudo acceleration response spectra (average for all scenarios) at all grid points and the Peruvian seismic building code design spectra (2003)




Peruvian building code for the highest seismic zone (Z=0.4g), in rock (green), hard soil (orange) and soft soils (red)

# Contents

- Tectonic setting and great historical earthquakes in Latin America
- Active faults and recent seismic activity
- Seismic hazard and earthquake probability
- Recent damaging earthquakes
- Estimation of the fault model and strong ground motion for a great subduction earthquake to strike Central Andes, Lima Perú.
- Tsunami simulation at Lima

## Tsunami inundation at Lima from scenario earthquakes



Mas et al. 2013

# Modeling Social Response

Erick Mas@Tohoku Univ.

Multi-Agent Horizontal  
Evacuation Simulation at La  
Punta

Multi-Agent Vertical  
Evacuation Simulation at La  
Punta



Thank you very much!  
Muchas Gracias!  
ご清聴ありがとうございます.